

Print citation overview

[< Back](#) | [Print](#)

Date of creation: 22 August 2012

Author: Babi?, Miroslav J.

***h* index = 4**

Of the 50 documents considered for the h-Index, 4 have been cited at least 4 times.

Note: The *h* Index considers Scopus documents published after 1995.

| | | Citations | | | | | | |
|---------------------------|--------------------------------|-----------|-----------|-----------|-----------|-----------|----------|-----------|
| | | <2010 | 2010 | 2011 | 2012 | subtotal | >2012 | total |
| 51 Cited documents | Total | 9 | 16 | 14 | 21 | 51 | 0 | 60 |
| 1 | (2012) Variable drawbead he... | | | | | 0 | | 0 |
| 2 | (2012) Influence of the sur... | | | | | 0 | | 0 |
| 3 | (2012) A comparison of reci... | | | | | 0 | | 0 |
| 4 | (2012) Wear behaviour of ha... | | | | | 0 | | 0 |
| 5 | (2012) Effect of vacuum-tre... | | | | 2 | 2 | | 2 |
| 6 | (2011) Application of conte... | | | | | 0 | | 0 |
| 7 | (2011) Microindentation of ... | | | | | 0 | | 0 |
| 8 | (2011) Design of vehicle ro... | | | | | 0 | | 0 |
| 9 | (2011) A failure analysis o... | | | | | 0 | | 0 |
| 10 | (2011) Effects of Al2O3 par... | | | | | 0 | | 0 |
| 11 | (2011) Variable tribologica... | | | | 1 | 1 | | 1 |
| 12 | (2011) Corrosion behavior o... | | | | | 0 | | 0 |
| 13 | (2011) Interpretation of th... | | | | | 0 | | 0 |
| 14 | (2011) Continuous control a... | | | 1 | | 1 | | 1 |
| 15 | (2011) Wear behaviour of Ti... | | | | 1 | 1 | | 1 |
| 16 | (2010) Microstructure and m... | | | | | 0 | | 0 |
| 17 | (2010) Tribological model o... | | | | 1 | 1 | | 1 |
| 18 | (2010) Tribometry of materi... | | | | | 0 | | 0 |
| 19 | (2010) Corrosion of Metal-M... | | | | 6 | 6 | | 6 |
| 20 | (2010) Tribological behavio... | | | 3 | 1 | 4 | | 4 |
| 21 | (2010) Structural, mechanic... | | | 2 | 3 | 5 | | 5 |
| 22 | (2010) Reparatory hard faci... | | 2 | 1 | | 3 | | 3 |
| 23 | (2010) Coefficient of dynam... | | | | | 0 | | 0 |
| 24 | (2010) Tribological behavio... | | | 1 | 2 | 3 | | 3 |
| 25 | (2010) The influence of hea... | | 1 | 1 | 1 | 3 | | 3 |
| 26 | (2009) Tribological potenci... | 1 | 1 | 1 | 1 | 3 | | 4 |
| 27 | (2009) Corrosion of alumini... | | 1 | | 1 | 2 | | 2 |

| | | | | | | |
|-----------------------------------|---|---|---|---|---|---|
| 28 (2009) Influence of load an... | | | | 1 | 1 | 1 |
| 29 (2009) Influence of the hea... | | 1 | | | 1 | 1 |
| 30 (2009) Availability managem... | | | | | 0 | 0 |
| 31 (2008) Microstructural and ... | | 4 | 1 | | 5 | 5 |
| 32 (2008) Rheological behavior... | | | | | 0 | 0 |
| 33 (2008) Composites based on ... | | 1 | | | 1 | 1 |
| 34 (2008) 15 years of the serb... | | | | | 0 | 0 |
| 35 (2007) ZA-27 alloy composit... | 1 | 2 | | | 2 | 3 |
| 36 (2007) Tribological propert... | | | | | 0 | 0 |
| 37 (2007) Influence of heat tr... | | | | | 0 | 0 |
| 38 (2005) Effects of machining... | | | | | 0 | 0 |
| 39 (2005) Tribological propert... | | | | | 0 | 0 |
| 40 (2004) Energy saving by rep... | | | | | 0 | 0 |
| 41 (2004) Zn-Al alloys as trib... | 3 | 2 | 1 | | 3 | 6 |
| 42 (2004) Structural and mecha... | 1 | | | | 0 | 1 |
| 43 (2001) Nature of the tribol... | | | | | 0 | 0 |
| 44 (2000) Yugoslav Zn-Al alloy... | 1 | 1 | 2 | | 3 | 4 |
| 45 (2000) Lubricant as paramet... | | | | | 0 | 0 |
| 46 (1999) Relationship between... | | | | | 0 | 0 |
| 47 (1998) Tribology in industr... | | | | | 0 | 0 |
| 48 (1998) Tribology and energy | 2 | | | | 0 | 2 |
| 49 (1997) Influence of contact... | | | | | 0 | 0 |
| 50 (1996) Tribological charact... | | | | | 0 | 0 |
| 51 (1990) Triboeconomic aspect... | | | | | 0 | 0 |

1 - 51 / 51

Documents in overview

1)

Aleksandrovic, S., Babic, M., Nedeljkovic, B., Vujinovic, T., Taranovic, D., Lazic, V., Milosavljevic, D.

Variable drawbead height and variable contact pressure as tribological influences in sheet metal stripe sliding test

(2012) *Journal of the Balkan Tribological Association*, 18 (2), pp. 184-194.

2)

Zivic, F., Babic, M., Adamovic, D., Mitrovic, S., Todorovic, P., Favaro, G., Pantic, M.

Influence of the surface roughness on adhesion of chrome coatings on alloy tool steel x165crmov12

(2012) *Journal of the Balkan Tribological Association*, 18 (2), pp. 228-237.

3)

Zivic, F., Babic, M., Grujovic, N., Mitrovic, S., Adamovic, D., Favaro, G.

A comparison of reciprocating sliding at low loads and scratch testing for evaluation of TiN (PVD) coating

(2012) *Journal of the Balkan Tribological Association*, 18 (1), pp. 80-91.

4)

Mitrovi?, S., Babi?, M., Adamovi?, D., ?ivi?, F., D?uni?, D., Panti?, M.

Wear behaviour of hard Cr coatings for cold forming tools under dry sliding conditions

(2012) *Tribology in Industry*, 34 (1), pp. 44-48.

5)

Zivic, F., Babic, M., Grujovic, N., Mitrovic, S., Favaro, G., Caunii, M.

Effect of vacuum-treatment on deformation properties of PMMA bone cement

(2012) *Journal of the Mechanical Behavior of Biomedical Materials*, 5 (1), pp. 129-138.

6)

Eri?, M., Mitrovi?, S., Babi?, M., ?ivi?, F., Panti?, M.

Application of contemporary information technologies in nanotribometry(2011) *Tribology in Industry*, 33 (4), pp. 159-163.

7)

?ivi?, F., Babi?, M., Favaro, G., Caunii, M., Grujovi?, N., Mitrovi?, S.

Microindentation of polymethyl methacrylate (PMMA) based bone cement(2011) *Tribology in Industry*, 33 (4), pp. 146-152.

8)

Glisovic, J., Radonjic, R., Babic, M., Miloradovic, D., Catic, D.

Design of vehicle road testing method for determination of brake pads friction characteristics(2011) *Journal of the Balkan Tribological Association*, 17 (4), pp. 512-524.

9)

Todorovic, P.M., Babic, M.J., Veljkovic, D.Z., Macuzic, I.D., Colovic, Z.G., Jeremio, B.M.

A failure analysis of a massive excavator reduction gear in surface mining using vibration-based condition monitoring(2011) *Journal of the Balkan Tribological Association*, 17 (4), pp. 555-567.

10)

Babic, M., Mitrovi?, S., Zivic, F.

Effects of Al₂O₃ particle reinforcement on the lubricated sliding wear behavior of ZA-27 alloy composites(2011) *Journal of Materials Science*, 46 (21), pp. 6964-6974.

11)

Aleksandrovic, S., Stefanovic, M., Adamovic, D., Lazic, V., Babic, M., Nikolic, R., Vujinovic, T.

Variable tribological conditions on the flange and nonmonotonous forming in deep drawing of coated sheets(2011) *Journal of the Balkan Tribological Association*, 17 (2), pp. 165-178.

12)

Bobi?, B., Mitrovi?, S., Babi?, M., Vencl, A., Bobi?, I.

Corrosion behavior of the as-cast and heat-treated ZA27 alloy(2011) *Tribology in Industry*, 33 (2), pp. 87-93.

13)

?ivi?, F., Babi?, M., Mitrovi?, S., Todorovi?, P.

Interpretation of the friction coefficient during reciprocating sliding of Ti6Al4V alloy against Al₂O₃(2011) *Tribology in Industry*, 33 (1), pp. 36-42.

14)

Zivic, F., Babic, M., S.mitrovic, Vencl, A.

Continuous control as alternative route for wear monitoring by measuring penetration depth during linear reciprocating sliding of Ti6Al4V alloy(2011) *Journal of Alloys and Compounds*, 509 (19), pp. 5748-5754.

15)

Zivic, F., Babic, M., Cvijovic-Alagic, I., Mitrovic, S., Vencl, A.

Wear behaviour of Ti6Al4V alloy against Al₂O₃ under linear reciprocating sliding(2011) *Journal of the Balkan Tribological Association*, 17 (1), pp. 27-36.

16)

Bobic, B., Babic, M., Mitrovic, S., Ilic, N., Bobic, I., Jovanovic, M.T.

Microstructure and mechanical properties of Zn₂₅Al₃Cu based composites with large Al₂O₃ particles at room and elevated temperatures(2010) *International Journal of Materials Research*, 101 (12), pp. 1524-1531.

17)

Adamovic, D., Babic, M., Stefanovic, M., Aleksandrovic, S., Golusija, Z., Mitovic, S.

Tribological model of the ironing process in sheet metal forming for lubricants testing(2010) *Journal of the Balkan Tribological Association*, 16 (3), pp. 329-339.

18)

Zivi?, F., Babi?, M., Grujovi?, N., Mitrovi?, S.

Tribometry of materials for bioengineering applications(2010) *Tribology in Industry*, 32 (1), pp. 25-32.

19)

Bobi?, B., Mitrovi?, S., Babi?, M., Bobi?, I.

Corrosion of Metal-Matrix composites with aluminium alloy substrate(2010) *Tribology in Industry*, 32 (1), pp. 3-11.

20)

Cvijović-Alagi?, I., Cvijović, Z., Mitrovi?, S., Rakin, M., Veljović, D., Babi?, M.
Tribological behaviour of orthopaedic Ti-13Nb-13Zr and Ti-6Al-4V alloys
 (2010) *Tribology Letters*, 40 (1), pp. 59-70.

21)

Venci, A., Bobic, I., Arostegui, S., Bobic, B., Marinković, A., Babi?, M.
Structural, mechanical and tribological properties of A356 aluminium alloy reinforced with Al₂O₃, SiC and SiC+ graphite particles
 (2010) *Journal of Alloys and Compounds*, 506 (2), pp. 631-639.

22)

Nedeljkovic, B., Babic, M., Mutavdzic, M., Ratkovic, N., Aleksandrovic, S., Nikcolic, R., Lazic, V.
Reparatory hard facing of the rotational device knives for terrain levelling
 (2010) *Journal of the Balkan Tribological Association*, 16 (1), pp. 46-57.

23)

Jeremic, B.M., Babic, M.J., Todorovic, P.M., Macuzic, I.D.
Coefficient of dynamic behaviour as parameter for TiN coating condition monitoring
 (2010) *Journal of the Balkan Tribological Association*, 16 (1), pp. 35-45.

24)

Babic, M., Slobodan, M., Džunic, D., Jeremic, B., Ilija, B.
Tribological behavior of composites based on ZA-27 alloy reinforced with graphite particles
 (2010) *Tribology Letters*, 37 (2), pp. 401-410.

25)

Babic, M., Mitrovic, S., Jeremic, B.
The influence of heat treatment on the sliding wear behavior of a ZA-27 alloy
 (2010) *Tribology International*, 43 (1-2), pp. 16-21.

26)

Babi?, M., Mitrovi?, S., Ninković, R.
Tribological potencial of zinc-Aluminium alloys improvement
 (2009) *Tribology in Industry*, 31 (1-2), pp. 15-28.

27)

Bobi?, B., Mitrovic, S., Babic, M., Bobi?, I.
Corrosion of aluminium and zinc-aluminium alloys based metal-matrix composites
 (2009) *Tribology in Industry*, 31 (3-4), pp. 44-53.

28)

Kaka?, D., ?ković, B., Mitrovi?, S., Babi?, M., Terek, P., Mileti?, A., Viloti?, M.
Influence of load and sliding speed on friction coefficient of IBAD deposited TiN
 (2009) *Tribology in Industry*, 31 (3-4), pp. 3-10.

29)

Cvijović-Alagi?, I., Mitrovi?, S., Cvijović, Z., Veljović, D., Babi?, M., Rakin, M.
Influence of the heat treatment on the tribological characteristics of the titanium alloy for biomedical applications
 (2009) *Tribology in Industry*, 31 (3-4), pp. 17-22.

30)

Vidojevic, D., Jeremic, B., Babic, M.
Availability management of complex technical systems
 (2009) *Strojnicki Vestnik/Journal of Mechanical Engineering*, 55 (6)

31)

Venci, A., Bobi?, I., Jovanović, M.T., Babi?, M., Mitrovi?, S.
Microstructural and tribological properties of A356 Al-Si alloy reinforced with Al₂O₃ particles
 (2008) *Tribology Letters*, 32 (3), pp. 159-170.

32)

Bobi?, I., Babi?, M., Mitrovi?, S., Bobi?, B., Jovanović, M.T.
Rheological behavior of ZA27 Alloy Semi-solid slurries and Al₂O₃ particulate / ZA27 composite slurries
 (2008) *Tribology in Industry*, 30 (1-2), pp. 47-54.

33)

Mitrovi?, S., Babi?, M., ?ivi?, F., Bobi?, I., Džuni?, D.
Composites based on Za-27 alloy reinforced by Al₂O₃ particles
 (2008) *Tribology in Industry*, 30 (1-2), pp. 33-39.

34)

Babic, M., Rac, A., Ivkovic, B.

15 years of the serbian tribology society - Origin and activities(2008) *Journal of the Balkan Tribological Association*, 14 (3), pp. 284-291.

35)

Mitrovi?, S., Babi?, M., Bobi?, I.

ZA-27 alloy composites reinforced with Al₂O₃ particles(2007) *Tribology in Industry*, 29 (3-4), pp. 35-41.

36)

Babi?, M., Mitrovi?, S., Bobi?, I.

Tribological properties of composites with substrate made of the ZA-27 alloy reinforced by the graphite particles(2007) *Tribology in Industry*, 29 (3-4), pp. 3-8.

37)

Babi?, M., Ninkovi?, R., Mitrovi?, S., Bobi?, I.

Influence of heat treatment on tribological behavior of Zn-Al alloys(2007) *Tribology in Industry*, 29 (1-2), pp. 23-31.

38)

Babi?, M.

Effects of machining regime on tribological properties of machined surfaces(2005) *Tribology in Industry*, 27 (1-2), pp. 22-26.

39)

Babic, M.

Tribological properties of ground surfaces(2005) *Proceedings of the World Tribology Congress III - 2005*, pp. 825-826.

40)

Tadi?, B., Babi?, M., ?ivi?, F.

Energy saving by replacing electromotor machine tool propulsion(2004) *Tribology in Industry*, 26 (1-2), pp. 21-25.

41)

Babi?, M., Ninkovi?, R.

Zn-Al alloys as tribomaterials(2004) *Tribology in Industry*, 26 (1-2), pp. 3-7.

42)

Bobic, I., Ninkovic, R., Babic, M.

Structural and mechanical characteristics of composites with base matrix of RAR27 alloy reinforced with Al₂O₃ and SiC particles(2004) *Tribology in Industry*, 26 (3-4), pp. 27-29.

43)

Babi?, M.

Nature of the tribology - Maintenance relation(2001) *Tribology in Industry*, 23 (1-2), pp. 21-28.

44)

Ninkovi?, R., Babi?, M., Rac, A.

Yugoslav Zn-Al alloys as bearings materials(2000) *Tribology in Industry*, 22 (1-2), pp. 14-18.

45)

Radojevi?, M., Radoji?i?, M., Naki?, M., Babi?, M.

Lubricant as parameter of processing tribomechanical system in the process of wire drawing(2000) *Tribology in Industry*, 22 (1-2), pp. 23-27.

46)

Sovilj, B., Todi?ac, V., Babic, M., Nikic, Z.

Relationship between tool life and cutting speed with uncoated and coated end milling cutters depending on wear criterion(1999) *Tribology in Industry*, 21 (2), pp. 73-77.

47)

Babi?, M.

Tribology in industry - Papers during twenty years

(1998) *Tribology in Industry*, 20 (3), pp. 79-84.

48)

Babi?, M.

Tribology and energy

(1998) *Tribology in Industry*, 20 (4), pp. 148-153.

49)

Babic, M., Panic, S.

Influence of contact surface modification on tribological behavior of tools for metal powder pressing

(1997) *Tribology in Industry*, 19 (4), pp. 140-145.

50)

Babic, M., Adamovic, D., Jeremic, B., Milic, N.

Tribological characteristics of surfaces machined by shot peening

(1996) *Tribologija u Industriji*, 18 (3), pp. 87-91.

51)

Jeremic, B., Babic, M.

Triboeconomic aspects of coating application

(1990) *Soviet Journal of Friction and Wear (English translation of Trenie i Iznos)*, 11 (1), pp. 134-137.

Copyright © 2012 Elsevier B.V. All rights reserved. SciVerse® is a registered trademark of Elsevier Properties S.A., used under license. Scopus® is a registered trademark of Elsevier B.V.